

# www.pharmapackagingcn.com

## Longsheng Pharmaceutical Packaging Materials Co.,Ltd.



Contact supplier David Wang Phone: +86-13852998222 Whatsapp: +86-13852998222 Mail: david@pharmapackagingcn.com Wechat: wanghua98222

Echo Zhang Phone: +86-18852846296 Whatsapp: +86-18852846296 Mail: echo@pharmapackagingcn.com Wechat: AceMoMo13



# LONGSHENG Glass & Vial Caps

#### Glass & Vial Caps

LONGSHENG offers the most comprehensive line of Glass & Vial Caps. Pharmaceutical Flip Off Seal Vial Cap is a kind of food bottle cap, used for sealing oral liquid, bottled infusion and food packaging. Pharmaceutical Flip Off Seal Vial Cap is an important part of food packaging, and it is also the place where consumers first contact with the product. Pharmaceutical Flip Off Seal Vial Cap is widely used in bottled products because it has the function of keeping the contents sealed and anti-theft opening and safety.high-quality seals that consistently achieve reproducible and safe container integrity for drug products while ensuring low levels of bio-burden and particulates, which may help make drugs safer for patients.

When you are looking for a high-quality and dependable vial caps, LONGSHENG can provide the best product for your application. LONGSHENG can also accommodate the custom design and manufacturing of vial caps.

#### About LONGSHENG®

Jiangsu Longsheng Pharmaceutical Packaging Materials Co.,Ltd,located at Yangzhong city,Jiangsu province,founded in 2007,is specialized in the development,production and sales of pharmaceutical packing materials.The company has a total investment of RMB 50 million yuan,with the total assets exceeding RMB 2 billion yuan.It covers an area of 70,000 m2,standardized plant 20,000m2,including 8,000m2 plant(under grade C background partial grade A).Now the company has over 300 employees,including 55% of senior college or above ,and several experts who have been engaging in pharmaceutical packaging for a long time.Our products are widely supplied to over 400 pharmaceutical enterprises all over the world,and sold far to Asia,America and east Europe market,in a leading position of the pharmaceutical packaging industry in China.

# Table of Contents

>	Aluminum cap4
>	Aluminum-plastic cap 10
>	Infusion cap 16
>	PP cup
>	Infusion bottle hanger 22



#### Aluminum Cap

For the correct closure of medicine bottles. aluminum cap are used for consistent and reliable crimping in a controlled environment.

#### **Infusion Cap**

Our Infusion Cap for plastic bottle has 3mm and 5mm thickness in its welding surface and the cap has the advantages of high safety, no leakage, no pollution, easy opening and so on.

#### **Contact Lens**

#### Container

a kind of polypropylene packaging material for storing contact lenses, is widely used for storing contact lenses with short abandoned cycles.







- A variety of closure styles and sizes for your research application.
- Manufactured from the highest quality raw materials
- Products include aluminum seals, rubber stoppers and plastic screw caps.

#### **Infusion Bottle Hanger**

Infusion bottle hanger when used for clinical transfusion bottle sets, it is characterized by using planar disc structure, the suspension loop, the nursing bottle ring, ring of bottleneck of three different diameter circle bearing each other in the same plane.





# **Aluminum Cap**

#### Mesopore Series Aluminum Cap

Product	mesopore series aluminum cap
Material	Aluminum
Size	8mm;11mm;13mm;20mm;30mm
Logo	Can be customized
Colour	Customized
Pack	Customized
Usage	For vial bottles
Origin	China
Lead time	5-10 days after receiving the advance payment
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.


Model NO.	13mm mesopore series		
Model NO.	aluminum cap		
MOQ	50,000pcs		
Technics	Punching and Injection		
rechnics	Mold		
Transport Package	Inner PE Bag, Outside Carton Box		
Size	13mm		
HS Code	8309900000		





#### 8mm mesopore Model NO. cap(for Cartridges MOQ 100,000pcs Transport Inner PE Bag, Package **Outside Carton Box** Punching and Technics Injection Mold Aluminum 8011-H16 with Part Coating Size 8mm HS Code 8309900000

	0
COLOR:SILVER	
	•
COLOR:ROSE	
9 🕛	9
COLOR:GOLDE	N



	20mm mesopore series	
Model NO.	aluminum cap	
MOQ	50,000pcs	
Technics	Punching and Injection	
Technics	Mold	
Transport	Inner PE Bag, Outside	
Package	Carton Box	
Size	20mm	
HS Code	8309900000	

6

		se
	MOQ	50
2	Technics	Pu Inj
	Transport Package	lnı Ca
	Size	11

HS Code

Э.	11mm mesopore series aluminum cap		N
	50,000pcs		N
	Punching and Injection Mold		Te
t	Inner PE Bag, Outside Carton Box		Tı Pa
	11mm		Si
	8309900000		Н

Model NO.	30mm mesopore series		
	aluminum cap		
MOQ	50,000pcs		
Technics	Punching and Injection		
Technics	Mold		
Transport	Inner PE Bag, Outside		
Package	Carton Box		
Size	30mm		
HS Code	8309900000		



### Seals for cartridges(8mm mesopore series aluminum cap)

COMBISEALS Dimension	From 1 ml to 3 ml	From 1 ml to 3 ml	From 1 ml to 3 ml	From 1 ml to 3 ml	From 1 ml to 3 ml
Туре	Bi-layer	Mono-layer	Bi-layer	Mono-layer	Bi-layer
Design	ACS0001	ACS0002	ACS0003	ACS0004	ACS0006
Compound	FM257 + H1-7-207 FM457 + H1-7-207	FM257 FM457	FM257+H1-7-207 FM457+H1-7-207	FM257 FM457	H5-23-5 + H1-7-207 FM457 + H1-7-207 FM257 + H1-7-207

Longsheng offers the most advanced combiseal solutions to meet the multiple challenges of cartridge closures. In combination with plungers, Longsheng's rubber-lined aluminum combiseals ensure the system integrity of the cartridge.

### • Product Attributes

• Detailed types

Seals for Cartridge				
	Primary Dimensions			Glass Fit
Seals	Overall	Internal	Laminate	Neck
Seals	height	Diameter	Thickness	Finishing
8 mm seal				
aluminum	4.9 mm	7.5 mm	1.5 mm	7.15 mm
cap with				
Mono-layer				
Rubber				
Disk				
8 mm seal	5.3 mm	7.5 mm	1.95 mm	7.15 mm
aluminum				
cap with				
Bi-layer				
Rubber				
Disk				



### Aluminum Tear Off Cap

Product	Aluminum tear off cap
Material	Aluminum
Size	13mm;15mm;16mm;20mm;26mm;28mm;32mm
Logo	Can be customized
Colour	Customized
Pack	Customized
Usage	For vial bottles
Lead time	5-10 days after receiving the advance payment
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.



Model NO.	13mm aluminum cap
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Aluminum Part	8011-H16 with Coating
Colour	Any Colour Can Be Customized
Size	13mm
Transport	Innor DE Bag, Outcide Carton Bay
Package	Inner PE Bag, Outside Carton Box
HS Code	8309900000



Model NO.	15mm aluminum cap
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	15mm
Transport Package	Inner PE Bag, Outside Carton Box
HS Code	8309900000



Model NO.	16mm aluminum cap for Oral Liquid
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	16mm
Transport Package	Inner PE Bag, Outside Carton Box
HS Code	8309900000



Model NO.	20mm aluminium tear off cap for vaccines production	
Technics	Punching and Injection Mold	
MOQ	50,000 pcs	
Colour	Any Colour Can Be Customized	
Size	20mm	
Transport Package	Inner PE Bag, Outside Carton Box	
HS Code	8309900000	



Model NO.	20mm silver aluminum vial
	complete-tear-cap
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	20mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000







Model NO.	20mm aluminum tear off seal
Woder NO.	for freeze-drying
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	20mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000



Model NO.	20mm aluminum easily full
	torn cap
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	20mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000



Model NO.	26mm aluminum full tear-off
	cap for infusion
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	26mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000



Model NO.	28mm aluminum tear off cap
	for infusion
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	28mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000



Model	32mm aluminum tear off cap for
NO.	infusion
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	32mm
Transport Package	Inner PE Bag, Outside Carton Box
HS Code	8309900000

# Aluminum Center Tear Caps

Product	Aluminum Center Tear Caps
Material	aluminum
Size	13mm;20mm;28mm;32mm
Logo	can be customized
Colour	Customized
Pack	Customized
Usage	For vial bottles
ΜΟQ	50,000 pcs
Lead time	5-10 days after receiving the advance payment
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.



Model NO.	13mm Aluminum Center Tear
	Caps
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	13mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	830990000



Model NO.	20mm Aluminum Center Tear
	Caps
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	20mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000



Model NO.	28mm Aluminum Center Tear
- Moder NO.	Caps
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	28mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000






Model NO.	32mm Aluminum Center Tear
	Caps
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	32mm
Transport	Inner PE Bag, Outside Carton
Package	Вох
HS Code	8309900000

### Aluminium Screw Cap

Product	Aluminum Screw Cap
Material	aluminum
Coat	double surface coat/Sterilization about 30min under 121±2°C,color of aluminum part will not change,or crack
Package	inner double PE bags,outer corrugated carton box(51*36*35cm),5000 pcs per box.
Size	25mm;28mm
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
HS Code	830990000
Logo	Customized
Colour	Customized
Usage	For vial bottles
MOQ	50,000 pcs
Delivery time	7 days after receiving the payment
Lead time	5-10 days after receiving the advance payment
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.







inner diameter(mm)	inner height(mm)	
28.0	17.5	
28.0	17.2	

### **PP Screw Cap**


Product	PP Screw Cap
Material:	Plastic
Usage:	Bottles
Size:	13mm; 14mm; 18mm;24mm;28mm
Plastic Type:	РР
Color:	Customized
Logo:	Customized
Packing:	Carton
MOQ:	10000
Sample:	Provided
Delivery time	7 days after receiving the payment
Lead time	5-10 days after receiving the advance payment
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.



# **Aluminium-Plastic Cap**

### Tear Off Cap

Product	Aluminium-plastic tear off cap
Material	Aluminum;plastic
Cost	double surface coat/Sterilization about 30min under 121±2ºC,color of aluminum part
Coat	will not change,or crack
Size	13mm;15mm;20mm;28mm;32mm
Logo	can be customized
Colour	Red / black / white / blue / purple /silver / gold and customization
Aluminum part	8011, H16 with coating
Pack	Customized
Usage	For vial bottles
Delivery time	7 days after receiving the payment
Lead time	5-10 days after receiving the advance payment
Payment terms	T/T,L/C,Paypal,Western Union,MoneyGram and etc.
Temperature resistance	121 degree centigrade
	Available caps2 business days after receive deposit;
Production time	Custom colour caps12 business days after receive deposit;
Production time	Custom logo on aluminum caps22 business days after receive deposit
	Custom logo on plastic caps25 business days after receive deposit
Shipping	DHL/ EMS/FedEx/China post/ Sea Ship
Base on information:	Quantity Color Normal one or engraved with logo
	Usage: injection, infusion, oral solution or other packaging
	Sterilization method: autoclave sterilizer
	Temperature resistance of plastic part: 121 degree centigrade
More details feature	Temperature resistance of aluminum part coating: 121 degree centigrade
	Plastic material: PP(Polypropylene)
	Aluminum part material: 8011, H16 with coating






inner diameter(mm)	inner height(mm)
13.3	6.2
13.3	6.5

Model NO.	13mm Aluminium-plastic tear off cap
Technics	Punching and Injection Mold
MOQ	50,000 pcs
Colour	Any Colour Can Be Customized
Size	13mm
Use for	2,3,5ml vials
Transport Package	Inner PE Bag, Outside Carton Box-inner double PE bags,outer corrugated carton box(40*33*32.5cm),20000 pcs per box.
HS Code	8309900000








inner diameter(mm)	inner height(mm)
15.3	6.5

Model NO.	15mm Aluminium-plastic tear off cap
Technics	Punching and Injection Mold
MOQ	20,000 pcs
Colour	Any Colour Can Be Customized
Aluminum part	8011, H16 with coating
Size	15mm
Use for	10,15,20ml vials
Transport Package	Inner PE Bag, Outside Carton Box inner double PE bags,outer corrugated carton box(44*34*27cm),10000 pcs per box.
HS Code	8309900000








inner diameter(mm)	inner height(mm)
20.20	7.20
20.20	7.60

Model NO.	20mm Aluminium-plastic tear off cap
Technics	Punching and Injection Mold
MOQ	20,000 pcs
Colour	Any Colour Can Be Customized
Aluminum part	8011, H16 with coating
Size	20mm
Use for	7,8,10,15,20,25,30ml vials
Transport Package	Inner PE Bag, Outside Carton Box inner double PE bags,outer corrugated carton box(48*36*33cm), 10000 PCS per box.
HS Code	8309900000






inner diameter(mm)	inner height(mm)		
27.9	9.6		

Model NO.	28mm Aluminium-plastic tear off cap		
Technics	Punching and Injection Mold		
MOQ	20,000 pcs		
Colour	Any Colour Can Be Customized		
Aluminum part	8011, H16 with coating		
Size	28mm		
Use for	50,100,250,500,1000ml glass bottles		
Transport Package	Inner PE Bag, Outside Carton Box inner double PE bags,outer corrugated carton box(48*36*33cm),5000 pcs per box.		
HS Code	830990000		

13







inner diameter(mm)	inner height(mm)		
32.3	12.4		
32.3	13		
32.3	13.3		
32.5	13.3		

Model NO.	32mm Aluminium-plastic tear off cap
Technics	Punching and Injection Mold
MOQ	20,000 pcs
Colour	Any Colour Can Be Customized
Aluminum part	8011, H16 with coating
Size	32mm
Use for	50,100,250,500,1000ml glass bottles
Transport Package	Inner PE Bag, Outside Carton Box inner double PE bags,outer
	corrugated carton box(48*35*35cm),2500 pcs per box.
HS Code	8309900000

Quality Assurance					
Management standard	We carry out the GMP management standard				
Raw material quality assurance	We have the raw materials supply chain management system to ensure the supply of high-quality raw materials				
Semi-finished /finished quality assurance	We have the complete advanced inspection instruments to ensure that the production process indicators are effectively monitored.				

### Flip Off Cap

Product	Aluminium-plastic flip off cap			
Size	13mm;15mm;20mm;26mm;28mm;32mm			
Material	Aluminum;plastic			
Cost	double surface coat/Sterilization about 30min under 121±2°C,color of aluminum			
Coat	part will not change,or crack			
Logo	can be customized			
Colour	Red / black / white / blue / purple /silver / gold and customization			
Aluminum part	8011, H16 with coating			
Pack	Customized			
Usage	For vial bottles			
HS Code	8309900000			
Delivery time	7 days after receiving the payment			
Lead time	5-10 days after receiving the advance payment			
Payment terms	T/T,L/C,Paypal,Western Union,MoneyGram and etc.			
Temperature resistance	121 degree centigrade			
	Available caps2 business days after receive deposit;			
Production time	Custom colour caps12 business days after receive deposit;			
Production time	Custom logo on aluminum caps22 business days after receive deposit			
	Custom logo on plastic caps25 business days after receive deposit			
Shipping	DHL/ EMS/FedEx/China post/ Sea Ship			
Base on information:	Quantity Color Normal one or engraved with logo			
	Usage: injection, infusion, oral solution or other packaging			
	Sterilization method: autoclave sterilizer			
	Temperature resistance of plastic part: 121 degree centigrade			
More details feature	Temperature resistance of aluminum part coating: 121 degree centigrade			
	Plastic material: PP(Polypropylene)			
	Aluminum part material: 8011, H16 with coating			

15

Aluminium-plastic flip off cap	model	inner diameter (mm)	inner height (mm)	Use for	MOQ	Package		
			6					
	13mm	13.3	6.2	2,3,5ml vials	10000 pcs	inner double PE bags,outer corrugated Carton		
	10	10.0	6.3			box(48*36*33cm),20000 pcs per box.		
			6.6					
	13mm	13.3	6.2	2,3,5ml vials	50000 pcs	inner double PE bags,outer corrugated Carton box(40*32*33cm),20000 pcs per box.		
0 0 -	15mm	15.3	6.8	10,15,20ml vials	20000pcs	inner double PE bags,outer corrugated Carton		
	13	15.4	6.9	10,13,20111 Viais	200000003	box(48*33*24cm),10000 pcs per box.		
		20	7					
	20mm		7.2		20000pcs			
			7.2	7,8,10,15,20,25,30ml vials		inner double PE bags,outer corrugated Carton box(45*35*33cm),10000 pcs per box.		
$\odot$		20.2	7.3					
			7.4					
			7.5					
			7.8					
	26mm	26.4	8.7	50,100,250,500,1000ml glass bottles	20000pcs	inner double PE bags,outer corrugated carton box(48*36*33cm),5000 pcs per box.		
80	28mm	27.6	9.3	50,100,250,500,1000ml glass bottles	20000pcs	inner double PE bags,outer corrugated carton box(46*36*38cm),5000 pcs per box.		
	32mm	32.3	11.7	50,100,250,500,1000ml glass bottles	2500 pcs	inner double PE bags,outer corrugated carton box(48*36*33cm),2500 pcs per box.		



### Infusion Cap Pull-Ring Cap

Our pull-ring Cap are suitable for ordinary infusion packages. The caps has the advantages of high safety, no leakage, no pollution, easy opening and so on. As the connecting device of the first generation of LVP product, the caps make the hospital injection issues convenient. People don't worry the outer pollution to the medicine any more. Now we have all kinds of sizes for your choices. Also, if you have any own requirements, pls feel free to contact us, we will do our best to serve you.

Product	Infusion Pull-Ring Cap	
Material	High density PP	
Size	28mm/32mm/38mm	
Features	Ready-to-use Product Excellent compatibility with the solution Good welding property Sterilization temperature up to 121 °C Outer and inner caps are molded and assembled separately to avoid mixture Production and packaging under A+C Grade Clean Room	
Samples	Free samples available for quality checking	
Logo	can be customized	
Colour	Customized	
Pack Customized		
Usage	For infusion bottles and bags	
HS Code	3926500000	
Certificate	ISO9001,ISO4001,OHSAS18001	
Delivery time	7 days after receiving the payment	
Lead time	5-10 days after receiving the advance payment	
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.	



Infusion Pull-Ring Cap			
model	28mm	32mm	38mm
Specifications figure	€23.6±0.2	0.1 028-0.3 17.5±0.2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	#33.8±0.2         #25.2±0.3         #25.9±0.1         #33.8±0.2         #33.8±0.2         #33.8±0.2         #33.8±0.2         #33.8±0.2         #33.8±0.2         #33.8±0.2         #33.8±0.2
Use for	infusion bottle	infusion bottle	infusion bottle
MOQ	50000 pcs	10000 pcs	10000pcs
Package	inner double PE bags,outer corrugated carton box(50*31*33cm),3000 pcs per box.	inner double PE bags,outer corrugated carton box(51*37*38cm),3000 pcs per box.	inner double PE bags,outer corrugated carton box

This Plastic Cap assembled with High end Butyl Rubber. Our Pull-Ring Cap for plastic bottle has 3mm and 5mm thickness in its welding surface and the cap has the advantages of high safety, no leakage, no pollution, easy opening and so on. As the connecting device of the first generation of LVP product. You can also customize your order according to your needs. Isoprene Gasket can be an optional choice, high stable low fragment. If you are interested in our infusion Cap, please feel free to contact us , we will do our best to help you.

#### **Break-Off Cap**

Our infusion break-off Plastic Cap is mainly used for medical soft-bag and plastic bottle. Our Caps are produced in a clean plant which passes the GMP standard . From input to output , the products go through a series of standard procedures such as injection molding, automatic machinery assembly, sorting, inner packing and outer packing .

Product	Infusion Break-Off Cap	
Material	High density PP	
Size	30mm/32mm/39mm	
Features	<ul> <li>Ready-to-use Product</li> <li>Excellent compatibility with the solution</li> <li>Good welding property</li> <li>Sterilization temperature up to 121 °C</li> <li>Outer and inner caps are molded and assembled separately to avoid mixture</li> <li>Production and packaging under A+C Grade Clean Room</li> </ul>	
Samples	Free samples available for quality checking	
Logo	can be customized	
Colour	Customized	
Pack	Customized	
Usage	For infusion bottles and bags	
HS Code	3926500000	
Certificate	ISO9001,ISO4001,OHSAS18001	
Delivery time	7 days after receiving the payment	
Lead time	5-10 days after receiving the advance payment	
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.	

Our factory has worked closely with our customers over these years to assist in the development of various products along the way. If you have any private product specification needs , let us know ,we will do our best to help you.

19

Infusion Pull-Ring Cap					
model	30mm	32mm	39mm		
Material	some import level and some china local raw materials .After the raw materials are modified, the new polypropylene pellet will be used in production.				
Use for	medical injection bags and bottles				
MOQ	50000 pcs	10000pcs			
Origin	china				
Package	sterile inner bag packing and corrugate box outer packing.				

UV absorption (220-240 nm)	UV absorption (241-350 nm)	Reducing substance (oxidizable)	Heavy metals (calculated as Pb )	Ammonium (calculated as NH4)	РН	Residue on evaporation	Turbidity
≤0.08	≤0.05	≤1.5ml	≤0.00001%	≤0.00008%	5.0-7.0	≤5.0mg/100ml	≤Suspensions II

As the second generation Plastic Cap products, our break-off spout caps are produced with connecting device which have the advantages of high safety, no leakage, convenient opening, liquid-Adding infusion separation, and unique Rubber Gasket fixing tech. If you have interests in our Pp Cap, pls no hesitate to contact with us.

#### **Infusion PP Port**

Our connecting devices are designed for the soft infusion bag. It is produced with high safety, good stability, and excellent heat sealing temperature property. You can customize the products according to your own requirements.



Product Name	Infusion PP Port	Color	colorless	
Place of Origin	Jiangsu, China	Brand Name	Longsheng	
Model Number	er 28-42 mm HS Code		3926500000	
Properties	Medical infusion bags or bottles	MOD	10000 pcs	
Delivery time	7 days after receiving the payment Package		inner double PE bags,outer corrugated carton box (51*37*38cm),3000 pcs per box.	
Material	Polypropylene	Quality Certification	ISO9001/ISO14001	
Instrument classification	Class III	Safety standard	GB15979-2002	
UV absorption (220-240nm)	≤0.08	UV absorption (241-350nm)	≤0.05	
Reducing substance (oxidizable)	≤1.5ml	Heavy metals (calculated as Pb)	≤0.00001%	
Ammonium (calculated as NH4)	≤0.00008%	РН	5.0-7.0	
Residue on evaporation	≤5.0 mg/100 ml	Turbidity	≤Suspensions 2	

We now adopt advanced equipments and this make it reality to offer big production with high quality.Our ports have good welding performance in low welding temperature with technical patent and it helps increase product yield and reduce bag leakage rate.We are now trying our best to develop new types, your unique needs and ideas will be greatly appreciated.

### **Contact Lens Container**

Contact lens container, a kind of polypropylene packaging material for storing contact lenses, is widely used for storing contact lenses with short abandoned cycles. A sterile barrier system can be formed after the hydrated lens and appropriate buffer solution are put into the PP cup and sealed by hot pressing with aluminum foil. After high temperature sterilization, the system can ensure that the lens and buffer solution in the system are in a sterile state.





10+2

	Material	РР				
	Package	inner double PE bags,outer corrugated carton box(58*37*24cm),5000 pcs per box.				
	MOQ	50000 pcs				
	Delivery time	7 days after receiving the payment				



Quotation	According to your drawing(better with material, mold life, etc)	
Mold Material	P20/718/738/NAK80/S136/2343/Etc.	
Process type	Injection Molds/ Die Casting Molds	
Mold Components Standard	DME/HASCO/Etc.	
Surface Treatment	Polish/Texture/Mirror-Polishing	
Tool Life	100K~1000K shots	
Quality inspection process	ΙQC ΙΡQC ΟQC FQC	
Lead Time	25~40 days base on the mold size and structure.	
Quality System	ISO 9001: 2015	

### **Infusion Bottle Hanger**

Infusion bottle hanger when used for clinical transfusion bottle sets, it is characterized by using planar disc structure, the suspension loop, the nursing bottle ring, ring of bottleneck of three different diameter circle bearing each other in the same plane.

Infusion bottle hanger			(250ms)			
model	50ml	100ml	250ml	500ml	1000ml	
Material	PE					
Use for	50,100,250,500,1000ml medical injection bottles					
MOQ	50000 pcs					
Origin	china					
Package	sterile inner bag packing and corrugate box outer packing.					
Certificate	ISO9001,ISO4001,OHSAS18001					
Delivery time	7 days after receiving the payment					
Lead time	5-10 days after receiving the advance payment					
Payment terms	T/T,L/C,Paypal,Western union,MoneyGram and etc.					

The ring are connected by a connection between the bottle set of simple structure, easy to carry and storage, using a molding manufacture injection molding machine, the production cost is low, easy to use and safe.

